





LANDSTAR PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p>FLATBED FLAT</p>  <p>Deck Length 45' to 53'</p> <p>Deck Height 58'' to 60''</p>	<p>45K – 48K</p>	<p>Length: 45' – 53'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p>
<p>3 AXLE FLATBED FLT3</p>  <p>Deck Length 45' to 53'</p> <p>Deck Height 58'' to 60''</p>	<p>43K – 45K</p>	<p>Length: 45' – 53'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p>
<p>EXTENDABLE FLATBED FLTE</p>  <p>Deck Length 45' to 115'</p> <p>Deck Height 58'' to 60''</p>	<p>40K – 42K</p>	<p>Length: 45' – 115'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p>
<p>3 AXLE EXTENDABLE FLATBED FL3E</p>  <p>Deck Length 45' to 94'</p> <p>Deck Height 58'' to 60''</p>	<p>38K – 40K</p>	<p>Length: 45' – 94'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p>


LANDSTAR PLATFORM EQUIPMENT

Equipment Type





Blade Trailer

Capacity





Well Length 53' - 145'
Weight Up to 70K





LANDSTAR PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p>STEPDECK (DROPDECK) SD</p>  <p>Deck Length 37' to 43'</p> <p>Deck Height 30'' to 42''</p> <p>10' TO 11'</p>	43K – 46K	<p><u>Bottom Deck</u></p> <p>Length: 37' – 43'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>
<p>3 AXLE STEPDECK SD3</p>  <p>Deck Length 37' to 43'</p> <p>Deck Height 30'' to 42''</p> <p>10' TO 11'</p>	40K – 43K	<p><u>Bottom Deck</u></p> <p>Length: 37' – 43'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>
<p>EXTENDABLE STEPDECK SDE</p>  <p>Deck Length 38' to 61'</p> <p>Deck Height 30'' to 42''</p> <p>10' TO 11'</p>	42K – 44K	<p><u>Bottom Deck</u></p> <p>Length: 38' – 61'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>
<p>3 AXLE EXTENDABLE STEPDECK SD3E</p>  <p>Deck Length 38' to 68'</p> <p>Deck Height 30'' to 42''</p> <p>10' TO 11'</p>	38K – 41K	<p><u>Bottom Deck</u></p> <p>Length: 38' – 68'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>




LANDSTAR PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p>DOUBLE DROP/ DETACH DD</p>  <p>10' TO 11'</p> <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	38K – 42K	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>
<p>DOUBLE DROP/ DETACH DD3</p>  <p>10' TO 11'</p> <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	37K – 40K	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>
<p>LOWBOY/ R.G.N. LOWB</p>  <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	38K – 42K	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>
<p>3 AXLE LOWBOY/ R.G.N. LOW3</p>  <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	37K – 40K	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>

LANDSTAR PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p>EXTENDABLE DOUBLE DROP/ DETACH</p> <p>DDE</p>  <p>Well Length 26' to 52'</p> <p>Well Height 18" to 24"</p> <p>10' TO 11'</p>	<p>37K – 40K</p>	<p><u>Well Length</u></p> <p>Length: 26' – 52'</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>
<p>3 AXLE EXTENDABLE DOUBLE DROP/ DETACH</p> <p>DD3E</p>  <p>Well Length 26' to 52'</p> <p>Well Height 18" to 24"</p> <p>10' TO 11'</p>	<p>34K – 37K</p>	<p><u>Well Length</u></p> <p>Length: 26' – 52'</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>

LANDSTAR PLATFORM EQUIPMENT

Equipment Type	Capacity
<p>QUAD AXLE DOUBLE DROP/ DETACH</p> <p>DD4</p>  <p>10' TO 11'</p> <p>Well Length 24' to 32'</p> <p>Well Height 20'' to 24''</p>	<p>Well Length: 24' – 32'</p> <p>Weight: up to 120K</p>
<p>QUAD AXLE LOWBOY/ R.G.N.</p> <p>LOW4</p>  <p>Well Length 24' to 34'</p> <p>Well Height 20'' to 24''</p>	<p>Well Length: 24' – 34'</p> <p>Weight: up to 120K</p>
<p>QUAD AXLE EXTENDABLE DOUBLE DROP/ DETACH</p> <p>DD4E</p>  <p>10' TO 11'</p> <p>Well Length 26' to 54'</p> <p>Well Height 18'' to 26''</p>	<p>Well Length: 26' – 54'</p> <p>Weight: up to 110K</p>

LANDSTAR PLATFORM EQUIPMENT


Equipment Type

MULTI-AXLE LOWBOY COMBINATION

LOW6

Capacity

Well Length 24' -29'
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LOW7

Capacity

Well Length 24' -29'
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LOW9

Capacity

Well Length 26' -29'
Weight Up to 160K



LANDSTAR PLATFORM EQUIPMENT


Equipment Type

MULTI-AXLE LOWBOY COMBINATION

LO6E

Capacity

Well Length 24' - 51'
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LO7E

Capacity

Well Length 26' - 55'
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LO9E

Capacity

Well Length 26' - 87'
Weight Up to 160K



LANDSTAR PLATFORM EQUIPMENT

Equipment Type

Schnable

Capacity

Well Length 40' - 150'
Weight Up to 180K

